

SAFETY DATA SHEET

According to Regulation (EC) No453/2010

SDS-NSAD70-IPA-DI-0001

Version 1.1

Revision Date: 19.05.2023

www.alcogiene.com Printing Date: 19.05.2023

Section 1: IDENTIFICATION OF SUBSTANCE/ MIXTURE AND OF THE COMPANY

1.1 Product identifier

Product name : Alcogiene® NSAD70 Isopropyl Alcohol RTU

Product Description : Isopropyl Alcohol 70%, Blended with DI

Included product code : ACG113IPA(70)DI-1.0TS ACG113IPA(70)DI-5.0P

ACG113IPA(70)DI-DRM

1.2 Relevant identified uses of the substance or mixture

Identified uses : Laboratory chemicals, Manufacture of

substances

Uses advised against : Not applicable

1.3 Details of the supplier of the safety datasheet

Company : Elite Advanced Materials Sdn Bhd

No 1, Jalan KPK 1/2, Kawasan Perindustrian Kundang, 48020 Rawang, Selangor, Malaysia

E-mail address : enquiry@eamaterials.com

1.4 Emergency telephone number

Emergency : +603-60343766 (Local business hours only)

Date of revision: 19.05.23 Version 1.1 Page 1 of 16



Section 2: HAZARDS INDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Flammableliquids	Category 2
Eye Irritation	Category 2
Specific target organ toxicity - single exposure	Category 3

2.2 Label elements

<u>Labeling in compliance to Regulation (EC) No. 1272/2008 [CLP/GHS]</u>
<u>Hazard pictograms</u>





GHS02

GHS07

Signal word

Danger

Hazard statement

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat/ sparks/ open flames/ hot surfaces.

- No smoking.

P240 Ground/bond container and receiving equipment.

P261 Avoid breathing vapours.



Response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

<u>Disposal</u>

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

2.3 Other hazards

No data available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance

Not applicable

3.2 Mixture

Synonyms : Isopropanol, 70% v/v

Formula : C_3H_8O

Molecular Weight : 60.10 g/mol

CAS-No. : 67-63-0

Hazardous components according to Regulation (EC) No 1272/2008

Component	Identity	Classification	H-	Concentration
Component	identity	Code	Code	Concentration
Isopropyl	CAS-No.: 67-63-0	Flam. Liq. 2	H225	60 – 80 %
alcohol		Eye Irritat. 2	H319	
		STOT SE 3	H336	

Date of revision: 19.05.23 Version 1.1 Page **3** of **16**



Section 4: FIRST AID MEASURES

4.1 Description of First Aid measures

General information

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water for at least 15 minutes. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and delayed symptoms and effects

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

4.3 Indication of any immediate medical attention and special treatment

No data available.

Section 5: FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Foam, Carbon dioxide (CO2), Dry powder.

Date of revision: 19.05.23 Version 1.1 Page 4 of 16



Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

Pay attention to flashback.

Vapours are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for fire-fighters

Wear full protective clothing and self-contained breathing apparatus if necessary. Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and material for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

Date of revision: 19.05.23 Version 1.1 Page **5** of **16**



6.4 Reference to other sections

Indications about waste treatment see section 13.

Section 7: HANDLING AND STORAGE

7.1 Precaution for safe handling

Advice on safe handling

Observe label precautions.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion Keep away from open flames, hot surfaces and sources of ignition. Take precautionary

measures against static discharge.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Protected from light.

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Recommended storage temperature see product label.

7.3 Specific end use

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Component	ACGIH TLV	CAL/OSHA PEL	NIOSH REL
	(8 hr)	(8hr)	(Up to 10 hr)
Isopropyl	TWA: 200 ppm	TWA: 400 ppm	TWA: 400 ppm
alcohol	STEL: 400 ppm	STEL: 500 ppm	STEL: 500 ppm

Date of revision: 19.05.23 Version 1.1 Page 6 of 16



(OSHA)

8.2 Exposure control

Personal protection measures, such as personal protective equipment

Never eat, drink or smoke during handling the chemical. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

Eye/ face protection

Face shield and safety glasses is required during handling. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Use appropriate protective gloves that are resistant to chemical agents in accordance with standard EN347.

Gloves must be selecting as indicated by the application and term of utilization at the workstation.

The selected protective gloves have to fulfill the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact* Material: Nitrile-rubber

Minimum layer thickness: 0.4 mm

Break through time: 480 min

Material tested: Cametril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact* Material: Polychloroprene

Minimum layer thickness: 0.65 mm

Break through time: 120 min

Material tested: Camapren® (KCL 720 / Aldrich Z677388, Size M)

(Merck, 2018; Ver 3.3)



Body protection

Impervious clothing, Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state : Liquid

Color : Colorless

Odor : Alcohol-like

Odor threshold : No data available

pH - value : Neutral at 20 °C

Melting point / Range : No data available

Boiling point / Range : No data available

Flash point : ca. 18 °C Method: DIN 51755 Part 1

Evaporation rate : No data available

Lower explosion limit – LEL : 2% (V) [Isopropyl alcohol]

Upper explosion limit - UEL : 13.4 (V) [Isopropyl alcohol]

Vapour pressure : ca. 42 hPa at 20 °C

Vapor density (air = 1) : No data available

Density : $0.85 \text{ g/cm}3 \text{ at } 20 \,^{\circ}\text{C}$

Bulk density : No data available

Solubility(ies) : No data available

Date of revision: 19.05.23 Version 1.1 Page 8 of 16



Water solubility : Soluble at 20 °C

Partition coefficient: n-octanol/water : log Pow: 0.05

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity : No data available

Explosive properties : No data available

Oxidising properties : No data available

(Merck, 2018; Ver 3.3)

9.2 Other information

Ignition temperature : 425 °C - DIN 51795

Section 10: STABILITY AND REACTIVITY

10.1 Reactivity

Vapours may form explosive mixture with air. Formation of peroxides possible.

10.2 Chemical stability

Sensitive to light and air.

10.3 Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapours with:

Alkali metals, Alkaline earth metals, chromium (VI) oxide

Exothermic reaction with:

Oxidising agents, nitric acid, aldehydes, amines, fuming sulfuric acid, iron, aluminium, chlorine, phosphorus trichloride, strong acids

Risk of explosion with:

Chlorates, phosgene, organic nitro compounds, hydrogen peroxide, nitrogen oxides, perchlorates.

Date of revision: 19.05.23 Version 1.1 Page **9** of **16**



10.4 Conditions to avoid

Accumulation of electrostatic charges, heating, heat, flames and hot surfaces.

10.5 Incompatible materials

No data available.

10.6 Hazardous decomposition products

Peroxides.

Section 11: TOXICOLOGY INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Isopropyl alcohol

LD50 Oral - 5045 mg/kg (Rat)

LD50 Dermal - 12,800 mg/kg (Rabbit)

LC50 Inhalation - 37.5 mg/L/4h (Rat)

(Merck, 2018; Ver 3.3)

Skin corrosion/irritation

Skin - Rabbit

Remarks: Not irritating to skin. Repeated exposure may cause skin dryness or cracking.

(Merck, 2018; Ver 3.3)

Serious eye damage/eye irritation

Eyes – Rabbit

Remarks: Causes serious eye irritation.

Date of revision: 19.05.23 Version 1.1 Page 10 of 16



(Merck, 2018; Ver 3.3)

Respiratory or skin sensitisation

Buehler Test – Guinea pig

Result: Negative

(Merck, 2018; Ver 3.3)

Germ cell mutagenicity

In vivo micronucleus test

Mouse (Male & Female)

Result: Negative

In vitro mammalian cell gene mutation test

Result: Negative

(Merck, 2018; Ver 3.3)

Carcinogenicity

In animal experiments – No carcinogenic effects

(Merck, 2018; Ver 3.3)

Reproductive toxicity

Remarks: Does not impair fertility. Not a developmental toxicant.

(Merck, 2018; Ver 3.3)

Specific target organ toxicity – single exposure

Remarks: May cause drowsiness and dizziness.

Date of revision: 19.05.23 Version 1.1 Page 11 of 16



(Merck, 2018; Ver 3.3)

Specific target organ toxicity - repeated exposure

No data available.

(Merck, 2018; Ver 3.3)

Aspiration hazard

No data available.

(Merck, 2018; Ver 3.3)

Additional Information

After absorption:

Headache, Dizziness, inebriation, Unconsciousness, narcosis

After uptake of large quantities:

respiratory paralysis, Coma

Other dangerous properties cannot be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Section 12: ECOLOGY INFORMATION

12.1 Ecotoxicity

Toxicity to fish	LC50 –Pimephalespromelas (fathead minnow) - 9640 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 13299 mg/l - 48 h
Toxicity to algae	IC50 – Desmodesmussubspicatus (green algae) – 1000 mg/l – 72 h

(Merck, 2018; Ver 3.3)



12.2 Persistence and degradability

Biodegradability	Result: 95 % - 21 d - Readily biodegradable
Theoretical Oxygen Demand (ThOD)	2400 mg/g
Ratio BOD/ThBOD	BOD5 49 %
Ratio COD/ ThBOD	96 %

(Merck, 2018; Ver 3.3)

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

Log Pow: 0.05

(Merck, 2018; Ver 3.3)

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment.

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII

12.6 Other adverse effects

No data available

Date of revision: 19.05.23 Version 1.1 Page **13** of **16**



Section 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment method

Product

Waste material must be disposed according to national and local regulations. Keep the chemicals in its specific waste container according to the waste classification.

According to Quality Environment Regulation (Scheduled Waste) 2005, waste need to be sent to designated premise for recycle, treatment or disposal. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

Section 14: TRANSPORT INFORMATION

14.1 UN number

ADR/RID: 1219	IMDG: 1219	IATA-DGR: 1219
---------------	------------	----------------

14.2 UN proper shipping name

ADR/RID:	ISOPROPYL ALCOHOL SOLUTION
IMDG:	ISOPROPYL ALCOHOL SOLUTION
IATA-DGR:	ISOPROPYL ALCOHOL SOLUTION

14.3 Transport hazard class(es)

ADR/RID: 3	IMDG: 3	IATA-DGR: 3
------------	---------	-------------

14.4 Packaging group

ADR/RID: II	IMDG: II	IATA-DGR: II
-------------	----------	--------------

Date of revision: 19.05.23 Version 1.1 Page 14 of 16



14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA-DGR: no
--

14.6 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

14.7 Special precautions for user

No data available

Section 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available

Section 16: OTHER INFORMATION

This information is based on present level of our knowledge, however, this shall not constitute a guarantee product features and shall not establish a legally valid contractual relationship.

Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by road.

IMDG: International Maritime Dangerous Goods.

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

RID: Regulations concerning the International Carriage of Dangerous goods by rail.

Date of revision: 19.05.23 Version 1.1 Page 15 of 16



Notice to reader

The information contained in this Safety Data Sheet is based on the present state of knowledge and current national legislation. It provides guidance on health, safety and environmental aspects of the products and should not be construed as any guarantee of technical performance or suitability for particular application.

The information contained in this Safety Data Sheet comes from sources believed to be accurate or otherwise technically correct. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. The users are advised to carry out their own evaluation of the material to determine suitability in their application. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.